

Steps to Slow the SPREAD of COVID-19

COVID-19 is a respiratory illness that can spread from person to person.

Residents are encouraged to follow these instructions to prevent disease spreading to people in your home and community.

SYMPTOMS can include **FEVER** (measured at 100.4°F/38°C or higher/ or if you feel feverish), **COUGH** or **TROUBLE BREATHING**. Illnesses have ranged from mild symptoms to severe illness and death. Symptoms may appear 2–14 days after exposure. **Not everyone needs to be tested for COVID-19.** Most people will have mild illness and be able to recover at home.*

If You Are Sick And Have Symptoms...

- Stay home. Avoid contact with others, do not share personal items, and use a separate bedroom and bathroom, if possible.
- Monitor your health. Seek medical attention immediately if you develop trouble breathing, pain or pressure in the chest, confusion, or bluish lips or face. Call ahead.
- Wear a facemask (or a bandana or scarf that covers your nose and mouth) when around other people.
- Cover your coughs and sneezes with a tissue or the inside of your elbow.
- Wash your hands often with soap and warm water for at least 20 seconds.
- Clean and disinfect high-touch surfaces every day.
- Do not leave home until fever-free for 72 hours (without the help of medication) AND your other symptoms have improved AND at least 7 days have passed since symptoms first appeared.
- Inform close contacts. Talk to everyone who has been within 6 feet for more than a few minutes while you were sick, including the 48 hours BEFORE you developed symptoms. Tell them to stay home for 14 days.

If You Had Close Contact With Someone Who Is Sick...

- Stay home for 14 days since you last interacted with the ill individual. If you have ongoing exposure (for example you live with the person who is sick), stay home while the person is sick and for 14 days after the person has been released from isolation. Avoid contact with others even though you may feel well. Do not share personal items, and use a separate bedroom and bathroom, if possible.
- Wear a facemask (or a bandana or scarf that covers your nose and mouth when around other people.
- Monitor for symptoms. Take your temperature with a thermometer two times a day and watch for fever or cough.
- Keep your distance from others (at least 6 feet).
- Cover your coughs and sneezes with a tissue or the inside of your elbow.
- Wash your hands often with soap and warm water for at least 20 seconds.
- Clean and disinfect high-touch surfaces every day.
- If you become sick, stay home, keep your distance from others, and inform close contacts you are sick. Follow the guidance under "if you are sick and have symptoms."
- Inform close contacts. Talk to everyone who has been within 6 feet for more than a few minutes while you were sick, including the 48 hours BEFORE you developed symptoms. Tell them to stay home for 14 days.

**Older adults and people of any age with serious underlying medical conditions may be at higher risk for more serious disease. Seek care early.*